Qing Camera Compatibility List (Cable Control)

Brand	Camera list	Camera version	Control cable	Function	Setting notes on Camera/Lens	USB Firmware
	EOS Mark II	1.1.2	USB 2.0 to Micro 2.0 (A02)			
	EOS 90D	1.0.0				
	EOS 2000 II (260D)	1.0.0	USB 2.0 to Micro (A01)			
	90D	1.0.2			When using Follow Focus electronically, the lens needs to be in MF mode	RT_HSM_V150 or above
	6D	1.1.0	USB 2.0 to Mini (B01)			
	6D Mark III	1.3.6				
	6D Mark II	1.0.2				
	EOS R	1.8.0		1.Take photos		
	EOS RP	1.4.0		2.Start/Stop recording video		
	EOS Mark III	1.0.1		3.Follow focus electronically	Please turn off the WiFi connection for Cable control	
	R6 Mark II	1.1.0	USB 2.0 to Type C (C01)		When using Follow focus electronically, the lens needs to be in MF mode	
	EOS R6	1.1.1			1.Due to camera system, please switch the shooting mode to photo mode before taking photos. When shooting a video is needed, switch the shooting mode to movie mode	
	EOS R5	1.1.1			2.For EOS R5/R6, shutter release can't be used to control video shooting in photo mode otherwise the camera will easily crash	
	EOS 500 R	1.1.1	USB 2.0 to Micro (A02)	1.Take photos / 2.Start/Stop recording video / 3.Switch Photo/ Video Mode	1.After connecting the cable, be sure to power on the Qing before the camera and wait for about 5 seconds for successful connection after camera power on the camera icon on the global screen will light up / 2.When the camera is in photo mode and the global switches to video mode, some keys of the camera will not respond to commands	RT_HSM_V150 or above
	EOS 5D Mark IV	1.2.1	USB 2.0 to Micro (A02)	1.Take photos / 2.Start/Stop recording video		RT_HSM_V150 or above
Canon	EOS 850D	1.0.0	USB 2.0 to Micro(A01)	1.Take photos / 2.Start/Stop recording video / 3.Follow focus electronically	1.When using the global to control focus electronically, you need to switch the lens between AF and MF to see which best fits your need / 2.When shooting timelapse video, please set the camera "Image Review" to be off	RT_HSM_V150 or above
	M50	1.1.0	USB 2.0 to Micro(A01)			RT_HSM_V150 or above
	EOS R5C	1.0.5/1	USB3.2 to Type C (C01)	1.Take photos / 2.Start/Stop recording video / 3.Follow focus electronically	1.After the global and camera are turned on, you need to wait about 30 seconds to establish a connection / 2.When the camera is in photo file, the global can control taking and recording / 3.When the camera is in video file, the global can control recording / 4.When you look back at an image, you have to switch to photo, and when you look back at a video, you have to switch to video	RT_HSM_V150 or above
	EOS R7	V1.0.1	USB 2.0 to Type C (C01)	1.Take photos / 2.Start/Stop recording video / 3.Follow focus electronically		RT_HSM_V150 or above
	EOS R10	V1.0.1	USB 2.0 to Type C (C01)	1.Take photos / 2.Start/Stop recording video / 3.Follow focus electronically		RT_HSM_V150 or above
	EOS R8	V1.0.0	USB 2.0 to Type C (C01)	1.Take photos / 2.Start/Stop recording video / 3.Follow focus electronically	Please switch photo / video mode on camera manually	RT_HSM_V150 or above
	EOS R50	V1.0.0	USB 2.0 to Type C (C01)	1.Take photos / 2.Start/Stop recording video / 3.Follow focus electronically	1.Please switch photo / video mode on camera manually / 2.When using Follow focus electronically, the lens needs to be in MF mode	RT_HSM_V150 or above
	EOS R6 Mark II	V1.1.2	USB 2.0 to Type C (C01)	1.Take photos / 2.Start/Stop recording video / 3.Follow focus electronically	1.Please switch photo / video mode on camera manually / 2.When using Follow focus electronically, the lens needs to be in MF mode	RT_HSM_V150 or above

Brand	Camera list	Camera version	Control cable	Function	Setting notes on Camera/Lens	USB Firmware
	a-7RIII	92.00				
	a-7RII	04.00				
	a-7II	04.00				
	a-9	03.00				
	a-9II	02.00				
	a-7 II (A7M2)	03.00				
	a-7R III	03.01				
	a-7R IV	01.00				
	a-6500	03.00				RT_HSM_V101 or above
	a-6600	01.00	Type C to Multi	1.Take photos / 2.Start/Stop recording video / 3.Zoom/Half-press to focus		
	A7SII	01.00				
	a6400	01.00			1.Can control motorized zoom lens to zoom / 2.Can only control digital zoom while using non-motorized lens / 3.Select "Network" and then turn off "Ctrl w/ Smartphone" in camera setting / 4.Set up the USB Connection to PC remote in camera setting menu	
	a-6400	02.00				
	ZV-1	01.00				
	A7 III	1.01			1.Can control motorized zoom lens to zoom / 2.Can only control digital zoom while using non-motorized lens	RT_HSM_V150 or above
Sony	ZV-E10	01.00	USB3.2 to Type C (C01)	1.Take photos / 2.Start/Stop recording video	1.Please set the [Ctrl w/ Smartphone] to be off (Network) → [Ctrl w/ Smartphone] → [Off] / 2.Set "USB Connecting" to be "PC Remote" (Network) → [PC Remote Function] → [PC Remote]→[On] / 3.Set "Still Img. Save Dest." to be "Camera Only" (Network) → [PC Remote Function] → [Still Img. Save Dest.]→[Camera Only] / 4.Please set [Auto Review] to be "OFF" when shooting the timelapse video / 5.After connecting the cable, be sure to power on the QUBOC before the camera / 6.The camera icon on the global screen lights up after a successful connection. And the screen of the camera displays the characters "PC". / 7.When the camera is in photo mode, you can switch between photo and video modes from global. When the camera is in video mode, the global can only control recording video	RT_HSM_V150 or above
	A7M IV	01.00	Type C to Multi	1.Take photos / 2.Start/Stop recording video / 3.Zoom/Half-press to focus / 4.Follow focus electronically	1.After connecting the cable, be sure to power on the Qing before the camera / 2.Please set [Zoom Setting] to be "ClearImage Zoom" or "Digital Zoom" to enable Digital Zoom / 3.Please set [Auto Review] to be "OFF" when shooting the timelapse video	RT_HSM_V150 or above
	A6100 VE (B6100VT)	1.00	Type C to Multi	1.Take photos / 2.Start/Stop recording video / 3.Zoom/Half-press to focus / 4.Follow focus electronically	1.After connecting the cable, be sure to power on the Qing before the camera / 2.Please set [Zoom Setting] to be "ClearImage Zoom" or "Digital Zoom" to enable Digital Zoom / 3.Please set [Auto Review] to be "OFF" when shooting the timelapse video	RT_HSM_V150 or above
	A7R4	01.00	Type C to Multi	1.Take photos / 2.Start/Stop recording video / 3.Zoom/Half-press to focus / 4.Follow focus electronically	1.After connecting the cable, be sure to power on the Qing before the camera / 2.Control the camera's digital zoom function, need to open the camera digital zoom function / 3.When using Follow focus electronically, the lens and the camera should be set in AF mode	RT_HSM_V150 or above
	A7C	02.00	USB3.0 to Type C	1.Take photos / 2.Start/Stop recording video / 3.Zoom/Half-press to focus	1.Please set the [Ctrl w/ Smartphone] to be off (Network) → [Ctrl w/ Smartphone] → [Off] / 2.Set "USB Connecting" to be "PC Remote" (Network) → [PC Remote Function] → [PC Remote]→[On] / 3.Set "Still Img. Save Dest." to be "Camera Only" (Network) → [PC Remote Function] → [Still Img. Save Dest.]→[Camera Only] / 4.After connecting the cable, be sure to power on the Qing before the camera / 5.Please set [Auto Review] to be "OFF" when shooting the timelapse video / 6.Switch photo or video (P-A-S-M AUTO mode support)	RT_HSM_V150 or above
	DSC-RX10 (RX100M3)	01.00	Type C to Multi	1.Take photos / 2.Start/Stop recording video / 3.Zoom/Half-press to focus / 4.Follow focus electronically	Please set [Auto Review] to be "OFF" when shooting the timelapse video	RT_HSM_V150 or above
	FDR-AX60	01.00	Type C to Multi	1.Start/Stop recording video / 2.Follow focus electronically		RT_HSM_V150 or above
	FDR-AX700	01.00	Type C to Multi	1.Start/Stop recording video / 2.Follow focus electronically		RT_HSM_V150 or above

Brand	Camera list	Camera version	Control cable	Function	Setting notes on Camera/Lens	USB Firmware
	D7500	1.00	USB 2.0 to Micro (A01)	1.Take photos / 2.Start/Stop recording video / 3.Follow focus electronically	1.After turning on the camera, it takes a few seconds for the camera to connect successfully / 2.Make sure the camera live view function is on when using the global control function (LV) / 3.To control recording, you need to turn the camera to video mode / 4.When using Follow focus electronically, the lens needs to be in AF mode and very slow / 5.The camera only has the light indicator and the screen does not display the duration during recording	RT_HSM_V101 or above
	Z7	1.00	USB 3.0 to Type C (C01)		1.After turning on the camera, it takes a few seconds for the camera to connect successfully / 2.Make sure the camera live view function is on when using the global control function (LV) / 3.To control recording, you need to turn the camera to video mode / 4.When using Follow focus electronically, the lens needs to be in AF mode and very slow	
	Z6	2.00				
Nikon	D850	1.01	USB 3.0 to Micro (A07)			RT_HSM_V150 or above
	Z5	1.00	USB 2.0 to Type C (C01)	1.Take photos / 2.Start/Stop recording video / 3.Follow focus electronically	1.After connecting the cable, be sure to power on the Qing Qing before the camera and wait for about 6 seconds for successfully connection after camera power on / 2.Please make sure the LV is on use the global to control the camera / 3.Please switch photo / video mode on camera manually	RT_HSM_V150 or above
	Z50	1.00	USB 2.0 to Micro (A07)	1.Take photos / 2.Start/Stop recording video		RT_HSM_V150 or above
	Zfc	1.21	USB 2.0 to Type C (C01)	1.Take photos / 2.Start/Stop recording video	Please switch photo / video mode on camera manually	RT_HSM_V150 or above
	Z30	1.00	USB 2.0 to Type C (C01)	1.Take photos / 2.Start/Stop recording video / 3.Follow focus electronically	1.After connecting the cable, be sure to power on the Qing global before the camera and wait for about 6 seconds for successfully connection after camera power on / 2.Please switch photo / video mode on camera manually / 3.To operate digital focusing in video mode, you need to set the camera's focusing mode to AF-F2S or AF-F2C. When operating digital focus in photo mode, the focus mode of the camera cannot be MF mode	RT_HSM_V150 or above

Brand	Camera list	Camera version	Control cable	Function	Setting notes on Camera/Lens	USB Firmware
	GH5S	V1.3	USB 2.0 to Type C (C01)	1.Take photos / 2.Start/Stop recording video / 3.Follow focus electronically	1.USB mode choose PC(Tether) / 2.WiFi and USB cable control cannot be used simultaneously / 3.When using Follow focus electronically, the lens needs to be in AF mode	RT_HSM_V101 or above
	GH5	V2.7				
	LUMIX G9	V2.6	Type C to DC2.5mm	1.Take photos / 2.Start/Stop recording video	To control recording, you need to turn the camera to video mode	
	G7H	V2.6				RT_HSM_V150 or above
	S1	V3.0	USB 3.0 to Type C (C01)	1.Take photos / 2.Start/Stop recording video / 3.Camera will focus automatically first before taking photo	No need to manually switch to camera recording mode	
	S5	V2.6	USB 3.0 to Type C (C01)	1.Take photos / 2.Start/Stop recording video / 3.Follow focus electronically	1.Set the USB Mode to be PC(tether) on camera / 2.Turn off the Camera Wi-Fi before use the cable to control camera as Wi-Fi and USB Trigger can not used at the same time / 3.The camera will auto focus when control capture photos / 4.To pull focus with global, the focus mode toggle on the camera should be set to AF / 5.When the camera is connected to the global, if you open the album and do nothing, the camera may freeze	RT_HSM_V150 or above
Panasonic		V2.6	Type C to DC2.5mm	1.Take photos / 2.Start/Stop recording video / 3.Follow focus electronically	Please switch photo / video mode on camera manually	
	GH6	V1.2	USB 2.0 toType C (C01)	1.Take photos / 2.Start/Stop recording video / 3.Follow focus electronically	1.Set the USB Mode to be PC(tether) on camera / 2.Turn off the Camera Wi-Fi before use the cable to control camera as Wi-Fi and USB Trigger can not used at the same time / 3.The camera will auto focus when control capture photos / 4.To pull focus with global, the focus mode toggle on the camera should be set to AF	RT_HSM_V150 or above
			Type C to DC2.5mm	1.Take photos / 2.Start/Stop recording video / 3.Zoom/Half-press to focus	Please switch photo / video mode on camera manually	
	GX9	V1.0	USB 2.0 to Type C (C01)	1.Take photos / 2.Start/Stop recording video / 3.Follow focus electronically	1.Set the USB Mode to be PC(tether) on camera / 2.Turn off the Camera Wi-Fi before use the cable to control camera as Wi-Fi and USB Trigger can not used at the same time / 3.The camera will auto focus when control capture photos / 4.To pull focus with global, the focus mode toggle on the camera should be set to AF	RT_HSM_V150 or above
			Type C to DC2.5mm	1.Take photos / 2.Start/Stop recording video / 3.Zoom/Half-press to focus	Please switch photo / video mode on camera manually	

Brand	Camera list	Camera version	Control cable	Function	Setting notes on Camera/Lens	USB Firmware
	GF-X100	V1.02	Type C to RS60-A (16h)(Optional)	1.Take photos / 2.Start/Stop recording video / 3.Half-press to focus	1.Please set on "DRIG/REMOTED RELEASE "to REMOTE, Steps: Press Menu, Video Setting) DRIG/REMOTED RELEASE - REMOTE / 2.To control recording, you need to turn the camera to video mode	RT_HSM_V101 or above
	GF-FX	V1.02			1.Please set on "DRIG/REMOTED RELEASE "to REMOTE, Steps: Press Menu, Video Setting) DRIG/REMOTED RELEASE - REMOTE / 2.To control recording, you need to turn the camera to video mode	
	X-H2	V1.02	Type C to TRS2.5(TG5)	1.Take photos / 2.Start/Stop recording video / 3.Half-press to focus	1.Please set [DRIG/REMOTE RELEASE] to be [REMOTE] under the [MOVIE SETTING] menu / 2.Please switch photo / video mode on camera manually	RT_HSM_V150 or above
	X-H1	V1.00	Type C to TRS2.5(TG5)	1.Take photos / 2.Half-press to focus	Please set [DRIG/REMOTE RELEASE] to be [REMOTE] under the [MOVIE SETTING] menu	RT_HSM_V150 or above
FUJIFILM	X-S100 II	V1.02	Type C to TRS2.5(TG5)	1.Take photos / 2.Start/Stop recording video / 3.Half-press to focus	1.Please set on "DRIG/REMOTE RELEASE "to REMOTE, Steps: Press Menu, Video Setting) DRIG/REMOTED RELEASE - REMOTE / 2.To control recording, you need to turn the camera to video mode	RT_HSM_V150 or above
	X100V	V2.00	Type C to TRS2.5(TG5)	1.Take photos / 2.Start/Stop recording video / 3.Half-press to focus	1.Please set [DRIG/REMOTE RELEASE] to be [REMOTE] under the [MOVIE SETTING] menu.Open file Settings-General-(Microphone/Remote shutter Setting)(remote control) / 2.Please switch photo / video mode on camera manually	RT_HSM_V150 or above
	GFX 100S	V1.02	Type C to TRS2.5(TG5)	1.Take photos / 2.Half-press to focus	Please switch photo / video mode on camera manually	RT_HSM_V150 or above
	X-H2S	V1.02	Type C to TRS2.5(TG5)	1.Take photos / 2.Half-press to focus	Please switch photo / video mode on camera manually	RT_HSM_V150 or above
	X-H2	V1.21	Type C to TRS2.5(TG5)	1.Take photos / 2.Start/Stop recording video / 3.Half-press to focus	Please switch photo / video mode on camera manually	RT_HSM_V150 or above
	X-T5	V1.02	Type C to TRS2.5(TG5)	1.Take photos / 2.Start/Stop recording video / 3.Half-press to focus	Please switch photo / video mode on camera manually	RT_HSM_V150 or above

Brand	Camera list	Camera version	Control cable	Function	Setting notes on Camera/Lens	USB Firmware
SIGMA	FP	04.00	USB3.0 to Type C (C01)	1.Take photos / 2.Start/Stop recording video	1.USB mode select "Camera Control" / 2.When the global is connected to the camera some keys of the camera will not respond to commands / 3.The camera is in EIKE mode and global can control recording / 4.Camera in STILL mode global control led camera to take pictures or videos	RT_HSM_V150 or above